


Docket No.: 217722US0CONT

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313



ATTORNEYS AT LAW

RE: Application Serial No.: 10/047,091 ✓

Applicants: Yoshiaki MIYATA, et al.

Filing Date: January 17, 2002

For: HYALURONIC ACID GEL, METHOD OF ITS
PRODUCTION AND MEDICAL MATERIAL
CONTAINING IT

Group Art Unit: 1654

Examiner: Flood, M. C.

SIR:

Attached hereto for filing are the following papers:

Response under 37 CFR 1.312

Our check in the amount of _____ is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R. 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 C.F.R. 1.136 for the necessary extension of time. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT P.C.

Norman F. Oblon

Harris A. Pitlick

Registration No. 38,779


Customer Number

22850

(703) 413-3000 (phone)

(703) 413-2220 (fax)

DOCKET NO: 217722US0CONT



IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF :
YOSHIAKI MIYATA, ET AL. : EXAMINER: FLOOD, M. C.
SERIAL NO: 10/047,091 :
FILED: JANUARY 17, 2002 : GROUP ART UNIT: 1654
FOR: HYALURONIC ACID GEL, : CONFIRMATION NO. 6826
METHOD OF ITS PRODUCTION AND
MEDICAL MATERIAL CONTAINING IT

RESPONSE UNDER 37 CFR 1.312

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313

SIR:

Pursuant to 37 CFR 1.312, Applicants respectfully submit that the Examiner's Amendment contains a minor error, which renders Claim 22, as so amended, grammatically incorrect. As so amended, Claim 22 reads as follows:

The method of claim 13, wherein the freezing is at a freezing temperature is not higher than the ice point, and the thawing is at a thawing temperature is not lower than the ice point.

However, Claim 22 should have been amended to read as follows:


The method of claim 13, wherein the freezing is at a freezing temperature is not higher than the ice point, and the thawing is at a thawing temperature is not lower than the ice point.

Application No. 10/047,091
Response under 37 CFR 1.312

In other words, the word "is" should have been (twice) deleted as shown. The Examiner is respectfully requested to make the above correction by supplemental Examiner's Amendment.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.
Norman F. Oblon



Harris A. Pitlick
Registration No. 38,779

Customer Number
22850

Tel: (703) 413-3000
Fax: (703) 413 -2220
(OSMMN 08/03)
NFO/HAP/cja